



Driven by Service. Defined by Quality.

Frame Scaffold Catalog

FALL 2025

Table of Contents

04 01: Introduction

06 02: C-Size Scaffolding

C-Size Yellow Open End Frames	7
C-Size Yellow Step Frames	8
C-Size Blue Open End Frames	9
C-Size Blue Step Frames	10
C-Size Base Components	11
Tube Cross Braces	12
Ladder & Ladder Brackets	13
Pins	14
Side Brackets for C-Size Frames	15
Access for C-Size Frames	16
C-Size Guardrail Panels	17
C-Size Tube Guardrail	18
C-Size Female Corner Guardrail Posts	19
C-Size End Guardrail Panel	20

21 03: B-Size Scaffolding

B-Size Red Open End Frames	22
B-Size Red Step Frames	23
B-Size Red Narrow Ladder Frames	24
B-Size Yellow Open End Frames	25
B-Size Yellow Step Frames	26
B-Size Yellow Ladder Frames	27-29
B-Size Yellow Open End Frames	30
B-Size Blue Open End Frames	31
B-Size Blue Step Frames	32
B-Size Coupling Pins	33
B-Size Iron Cross Braces	34
B-Size Tube Cross Braces	35
B-Size Red Side Brackets	36

Guardrail Scaffolding	37
Access for B-Size Frames	38
Female Corner Guardrail Post	39
B-Size Base Components	40
Ladders & Ladder Brackets	41
Pins	42
Side Brackets for C-Size Frames	43

44 04: Miscellaneous Stock

C-Size Open End Frame	45
Miscellaneous Stock	46-47

48 05: Canada Frames and Accessories

B-Size Canada Ladder Frames	49
B-Size Canada Open Frames	50
C-Size Canada Ladder Frames	51
C-Size Canada Open Frames	52

53 06: Planks, Decks and Boards

Import Multi-Purpose Unit	54
---------------------------	----

55 08: Universal Accessories

Scaffold Board	56
Hatch Plank w/ Drop Down Ladder	57
Wood Plank	58

59 08: Universal Accessories

Well Wheel	60
U-Head Jack	61
Heavy Duty Braces	62
Leveling Jack	63

01

Information

5

For decades, DSS has accommodated the special needs of the construction and petrochemical industries. Our commitment to industry-leading quality assurance, extensive employee training and factory certification are unmatched and our proprietary manufacturing and logistics programs ensure that you receive delivery of the safest most reliable scaffolding products wherever in the world you need them on time, every time. We are here to help you retain your competitive edge.

Quality Steel Means Quality Scaffolding

At DSS we are committed to quality in every step of the scaffold manufacturing process. All the steel we use comes with mill certifications, but we don't stop there. We use an independent lab to verify that all steel arriving in our factories meets or exceeds the appropriate BS EN, ASTM/ANSI specifications.

Our Commitment to Safety

We provide extensive classroom and on the job training for all members of our factory team. Our welding procedures were written by an independent professional engineer, and were qualified by testing at independent labs. We constantly qualify all of our welders to the AWS D1.1 standard.

Reliability

All of the products produced by DSS carry a warranty, and we also have full product liability insurance issued by US carriers. We know that your safety depends on our scaffolding, so we go above and beyond in our quality assurance programs to ensure that the scaffolding that you receive is the safest and most reliable available anywhere in the world. Our Ring Lock Scaffold System holds the Australia Registration, DITUC Certification in Chile and the Bureau Veritas Certification. Our Speed Ring Scaffold Systems holds the Bureau Veritas Certification. We are proud to have earned ISO9001:2008 certification for all of our manufacturing facilities. Most of our factories hold DIN BS EN1090 parts 1 & 2 (EXC 3) and EN ISO 3834 part 2.

Compatibility

We verified, through independent professional engineers, that all of our scaffolding products and accessories are compatible with other major US and European Manufacturers.

Value

Our diversified manufacturing base provides us with sufficient manufacturing capacity to meet your requirements. Plus it creates a distinct competitive advantage. We implement our industry leading quality assurance and control programs in all of our overseas factories, and combine those resources with the technical knowledge and experience of our US based technical and engineering services operations. This allows DSS to offer you a distinct cost advantage and creates significant value for our customers.


Quality by Design

At DSS, we take a common sense approach to good business. We start with quality people, manufacture quality products and work hard to establish and maintain quality relationships with our customers. We look forward to the privilege of working with you and the opportunity to demonstrate our commitment to quality manufacturing, business excellence and above all customer satisfaction.

02


C-Size Scaffolding

7 C-Size Yellow Open End Frames




Product Code	Description	Spacing	Weight	FRAME INFORMATION
		IN	LB	
CFO3W5HQ48	3' x 5' Open End Frame	48.0	36.4	<ul style="list-style-type: none"> • 1.69" (1-11/16") OD Leg Tube, 13 Gauge • Uses PN-CPC Coupling Pin • Standard Color Yellow • First lock 8.5" from top of frame leg • Q-Locks • Spring Retainer hole drilled at 45 degrees
CFO3W64HQ48	3' x 6'4" Open End Frame	48.0	41.3	
CFO42W64HQ48	42" x 6'4" Open End Frame	48.0	42.3	
CFO5W64HQ48	5' x 6'4" Open End Frame	48.0	44.8	
CFOL5W64HQ48	5' x 6'4" Open End Ladder Frame	48.0	50.8	


C-Size Yellow Step Frames




CFS3W3HQ24




CFS42W3HQ24




CFS5W2HQ12




CFS5W3HQ24



CFS5W4HQ36



CFS5W5HQ48




CFS5W64HQ48

Product Code	Description	Spacing	Weight
		IN	LB
CFS3W3H-Q24	3'x3' Step Frame	24.0	26.1
CFS42W3HQ24	42"x3' Step Frame	24.0	26.8
CFS5W2HQ12	5'x2' Step Frame	12.0	23.5
CFS5W3HQ24	5'x3' Step Frame	24.0	27.8
CFS5W4HQ36	5'x4' Step Frame	24.0	31.8
CFS5W5HQ48	5'x5' Step Frame	48.0	37.1
CFS5W64HQ48	5'x6'4" Step Frame	48.0	44.4


SHORING FRAME INFORMATION

- 1.69" (1-11/16") OD Leg Tube, 13 Gauge
- Uses PN-CPC Coupling Pin
- Standard Color Yellow
- First lock 8.5" from top of frame leg
- Q-Locks
- Spring Retainer hole drilled at 45 degrees


C-Size Blue Open End Frames



CFO3W64HV48L6



CFO42W64HV48L6




CFO5W64HV48L6

Product Code	Description	Spacing	Weight
		IN	LB
CFO3W64HV48L6	3'x6'4" Open End Frame	48.0	41.3
CFO42W64HV48L6	42"x6'4" Open End Frame	48.0	42.3
CFO5W64HV48L6	5'x6'4" Open End Frame	48.0	44.8

FRAME INFORMATION

- 1.69" (1-11/16") OD Leg Tube, 13 Gauge
- Uses PN-CPC Coupling Pin
- Standard Color Dark Blue
- First lock 6" from top of frame leg
- V-Lock
- Spring Retainer hole drilled at 45 degrees

C-Size Blue Step Frames



Product Code	Description	Spacing		Weight	SHORING FRAME INFORMATION
		IN	LB		
CFS5W3HV24L6	5'x3' Step Frame	24.0	27.8	<ul style="list-style-type: none"> • 1.69" (1-11/16") OD Leg Tube, 13 Gauge • Uses PN-CPC Coupling Pin • Standard Color Dark Blue • First lock 6" from top of frame leg • V-Locks • Spring Retainer hole drilled at 45 degrees 	
CFS5W4HV36L6	5" x 3' Step Frame	24.0	27.8		
CFS5W5HV48L6	5'x5' Step Frame	48.0	37.1		
CFS5W64HV48L6	5'x6'4" Step Frame	48.0	44.4		

C-Size Base Components



CAS8B



BPRBC



COR



FSSB



BPLJBC



BPSJC



FSUHJ68B



BPLEC

Product Code	Description	Compatibility	Weight
			LB
CAS8B	8" Caster	B & C Frames	12.3
BPRBC	Rigid Base Plate	B & C Frames	1.9
BPLJBC	24" Leveling Jack w/ Base Plate	B & C Frames	12.3
BPSJC	24" Swivel Jack w. Base Plate	B & C Frames	11.6
FSUHJ68B	5" x 8" U-Head Jack	B & C Frames	15.6
BPLEC	Leveling Extension w/ Socket	B & C Frames	11.2
COR	Frame Outrigger	B & C Frames	15.0
FSSB	Stair Tower Starter Bar	-	9.3

12

Tube Cross Braces

1" x 2mm



Lock Spacing	Bay Length					
	4'	5'	6'	7'	8'	10'
12"				BR0712H		BR01012H
24"	BR0424H	BR0524H	BR0624H	BR0724H	BR0824H	BR01024H
36"	BR043648H	BR053648H	BR063648H	BR0736H	BR083648H	BR01036H
				BR073648H	BR0103648H	BR01027H
48"	BR043648H	BR053648H	BR063648H	BR0748H	BR083648H	BR01048H
				BR073648H		BR0103648H


Ladders & Ladder Brackets



LD17W6



LD17W3



LDRSAU3G



LDRSAUBG




LDB17W


Product Code	Description	Weight
		LB
LD17W6	17" Wide Ladder 6' High	20.06
LD17W3	7" Wide Ladder 3' High	10.58
LDRSAU3G	3' SAU Ladder (Channel Style)	10.20
LDRSAU6G	6' SAU Ladder (Channel Style)	18.9
LDRSAUBG	SAU Ladder Bracket (Channel Style)	5.8
LDB17W	17" Wide Ladder Bracket 7.25"	7.06

Pins


Sizes listed are Stock Sizes



PNSP2



PNSR



PNHP3



PNPTPU



PNSP4

Product Code	Description	Weight
		LB
PNSP2	2" Snap Pin	0.2
PNSR	Spring Retainer	0.1
PNHP3	3" Hinge Pin	0.2
PNPTPU	Universal Pig Tail Pin	0.25
PNSP4	4" Snap Pin	0.35

Special, non-stock sizes available upon request

Side Brackets for C-Size Frames



FSSB12HC



FSSB20HC



FSSB30HC



FSSB20EC



FSSB20AC

Product Code	Description	Weight
		LB
FSSB12HC	12" Side Bracket (Saddle Hanger)	8.2
FSSB20HC	20" Side Bracket (Saddle Hanger)	10.1
FSSB30HC	30" Side Bracket (Saddle Hanger)	11.0
FSSB20EC	20" End Bracket (Saddle Hanger)	9.9
FSSB20AC	20" Side Bracket (Angle Hanger)	9.5

Access for C-Size Frames



Product Code	Description	Weight
		LB
FSSTA764IR	Inside Hand Rail for FS-ST764	13.69
FSSTA764OR	Outside Hand Rail for FS-ST764	27.54
FSSTA764SW	Stair Base for FS-ST764	57.33
FSSTA764	Internal Stair Unit for 7' bay, 6'4" height (Aluminum)	100.2
FSSTGRIB	Intermediate Guardrail Base	14.0


C-Size Guardrail Panels



GR7ISP/GR10ISP

Product Code	Description	Weight
		LB
GR7ISP	7' Side Guardrail Panel	17.7
GR10ISP	10' Side Guardrail Panel	21.0
GRSP7	7' EZ Side Guard Panel	15.0
GR5OE		
GR42OE		

C-Size Tube Guardrail



Product Code	Description	Weight
		LB
GR3BC	3' Tube Guardrail	2.5
GR42BC	42" Tube Guardrail	3.0
GR5BC	5' Tube Guardrail	3.6
GR7	7' Tube Guardrail	5.3
GR10	10' Tube Guardrail	7.0

19 C-Size Female Corner Guardrail Post



Product Code	Description	Weight
		LB
GRPFC4D	Female Corner Guardrail Post	7.4

C-Size Expandable Swing Gate




Product Code	Description	Weight
		LB
GRGTEX3556	Expandable Swing Gate (3' -5")	24.7
GRGTEX2534		

03

B-Size Scaffolding

B-Size Red Open End Frames




Product Code	Description	Spacing	Weight
		IN	LB
BFO5W67HD48	5'x6'7" Open End Frame	48.0	58.6
BFOL5W67HD48	5'x6'7" Open End Ladder Frame	48.0	58.6

FRAME INFORMATION

- 1.625" (1-5/8") OD Leg Tube, 13 Gauge
- Uses PNCBNC, PNCB1/8 or PNCB Coupling Pin
- Standard Color Red
- First lock 7" from top of frame leg
- D-Locks
- Spring Retainer hole drilled at 90 degrees


B-Size Red Step Frames



BFS5W21HD12

BFS5W31HD24

BFS5W41HD36



BFS5W51HD48

BFS5W67HD48

Product Code	Description	Spacing		Weight	SHORING FRAME INFORMATION
		IN	LB		
BFS5W21HD12	5'x21" Step Frame	12.0	25.4	<ul style="list-style-type: none"> • 1.625" (1-5/8") OD Leg Tube, 13 Gauge • Uses PNCBNC, PNCPB1/8 or PNCPB Coupling Pin • Standard Color Red • First lock 7" from top of frame leg • D-Locks • Spring Retainer hole drilled at 90 degrees 	
BFS5W31HD24	5'x31" Step Frame	24.0	32.4		
BFS5W41HD36	5'x41" Step Frame	36.0	35.6		
BFS5W51HD48	5'x51" Step Frame	48.0	42.4		
BFS5W67HD48	5'x67" Step Frame	48.0	47.9		

B-Size Red Narrow Ladder Frames




Product Code	Description	Weight
		LB
BFL27W31HD24	29" x 3'1" B-Size Ladder Frame	19.94
BFL27W41HD36	29" x 4'1" B-Size Ladder Frame	22.0
BFL27W51HD48	29" x 5'1" B-Size Ladder Frame	27.23
BFL27W67HD48	29" x 6'7" B-Size Ladder Frame	33.98

SHORING FRAME INFORMATION

- 1.625" (1-5/8") OD Leg Tube, 13 Gauge
- Uses PNCPBNC, PNCPB1/8 or PNCPB Coupling Pin
- Standard Color Red
- First lock 7" from top of frame leg
- D-Locks
- Spring Retainer hole drilled at 90 degrees

B-Size Yellow Open End Frames




S-Lock Detail

Product Code	Description	Spacing	Weight
		IN	LB
BFO5W66HS27	5'x6'6" Open End Frame	27' 3/4"	47.2
BFO42W66HS27	3'-6"x 6'-6" B Open Frame S-Lock	27'	
BFO3W66HS27L11	3'W x 6'6" Open End Frame	27' 3/4"	

SHORING FRAME INFORMATION

- 1.625" (1-5/8") OD Leg Tube, 13 Gauge
- Uses PNCPB Coupling Pin
- Standard Color Yellow
- First lock 10.25" From top of frame leg on 5' and 6'6" tall frames
- First lock 6" from top of frame leg on 3' tall frames
- S-locks
- Spring Retainer hole drilled at 90 degrees
- 27-3/4" Lock Spacing

B-Size Yellow Step Frames




Product Code	Description	Weight LB
BFS5W2HS10L9	5'x2' Step Frame	25.3
BFS5W3HS27	5'x3' Step Frame	25.2
BFS5W5HS27	5'x5' Step Frame	35.3
BFS5W66HS27	5'x6'6" Step Frame	42.6

SHORING FRAME INFORMATION

- 1.625" (1-5/8") OD Leg Tube, 13 Gauge
- Uses PNCPB Coupling Pin
- Standard Color Yellow
- First lock 10.25" From top of frame leg on 5' and 6'6" tall frames
- First lock 6" from top of frame leg on 3' tall frames
- S-locks
- Spring Retainer hole drilled at 90 degrees
- 27-3/4" Lock Spacing

B-Size Yellow Ladder Frames

48' Ladder Frames



BFL4W3HS27L6

BFL4W4HS27L6

BFL4W5HS27L6

BFL4W6HS27L6


Product Code	Description	Weight
		LB
BFL4W3HS27L6	4'x3' Ladder Frame	30.5
BFL4W4HS27L6	4'x4' Ladder Frame	39.7
BFL4W5HS27L6	4'x5' Ladder Frame	48.7
BFL4W6HS27L6	4'x6' Ladder Frame	58.2

SHORING FRAME INFORMATION

- 1.625" (1-5/8") OD Leg Tube, 13 Gauge
- Uses PNCPB Coupling Pin
- Standard Color Yellow
- First lock 10.25" From top of frame leg on 5' and 6'6" tall frames
- First lock 6" from top of frame leg on 3' tall frames
- S-locks
- Spring Retainer hole drilled at 90 degrees
- 27-3/4" Lock Spacing

B-Size Yellow Ladder Frames Cont.

28" Ladder Frames




Product Code	Description	Weight
		LB
BFL28W3HS27L6	28"x3' Ladder Frame	20.1
BFL28W4HS27L6	28"x4' Ladder Frame	25.2
BFL28W5HS27L6	28"x5' Ladder Frame	30.5
BFL28W6HS27L6	28"x6' Ladder Frame	35.2

SHORING FRAME INFORMATION

- 1.625" (1-5/8") OD Leg Tube, 13 Gauge
- Uses PNCPB Coupling Pin
- Standard Color Yellow
- First lock 10.25" From top of frame leg on 5' and 6'6" tall frames
- First lock 6" from top of frame leg on 3' tall frames
- S-locks
- Spring Retainer hole drilled at 90 degrees
- 27-3/4" Lock Spacing

B-Size Yellow Ladder Frames Cont.

36" Ladder Frames



Product Code	Description	Weight
		LB
BFL3W3HS27L6	3'x3' Ladder Frame	23.1
BFL3W4HS27L6	3'x4' Ladder Frame	28.0
BFL3W5HS27L6	4'x5' Ladder Frame	35.0
BFL3W6HS27L6	3'x6' Ladder Frame	41.0
BFO3W66HS27L6	3'x66" Open Frame	43.0


SHORING FRAME INFORMATION

- 1.625" (1-5/8") OD Leg Tube, 13 Gauge
- Uses PNCPB Coupling Pin
- Standard Color Yellow
- First lock 10.25" From top of frame leg on 5' and 6'6" tall frames
- First lock 6" from top of frame leg on 3' tall frames
- S-locks
- Spring Retainer hole drilled at 90 degrees
- 27-3/4" Lock Spacing

30

B-Size Yellow Open Frame

36" Ladder Frames




BFS5W2HS10L9

Product Code	Description	Weight
		LB
BFS5W2HS10L9	3'x6'6" Open Frame	43.0

SHORING FRAME INFORMATION

- 1.625" (1-5/8") OD Leg Tube, 13 Gauge
- Uses PNCPB Coupling Pin
- Standard Color Yellow
- First lock 10.25" From top of frame leg on 5' and 6'6" tall frames
- First lock 6" from top of frame leg on 3' tall frames
- S-locks
- Spring Retainer hole drilled at 90 degrees
- 27-3/4" Lock Spacing

B-Size Blue Open End Frames



BFO3W67HH48


BFO5W67HH48

Product Code	Description	Spacing	Weight
		IN	LB
BFO3W67HH48	3'x6'7" Open End Frame	48.0	36.2
BFO5W67HH48	5'x6'7" Open End Frame	48.0	43.2

FRAME INFORMATION

- 1.63" OD Leg Tube, 13 Gauge
- Uses PNCPBNC, PNCPB1/8 or PNCPB Coupling Pin
- Standard Color Blue
- First lock 7" from top of frame leg
- H-Locks
- Spring Retainer hole drilled at 90 degrees

B-Size Blue Step Frames



BFS5W51HH48

BFL5W31HD24

Product Code	Description	Weight
		LB
BFS5W51HH48	5'x5'1" Galvanized Step Frame	36.2
BFL5W31HD24	5'x3'1" Step Frame	43.4

FRAME INFORMATION

- 1.63" OD Leg Tube, 13 Gauge
- Uses PNCPBNC, PNCPB1/8 or PNCPB Coupling Pin
- Standard Color Blue
- First lock 7" from top of frame leg
- H-Locks
- Spring Retainer hole drilled at 90 degrees

B-Size Coupling Pins



PNCBNC



PNCPB1/8




PNCPB

Product Code	Description	Weight
		LB
PNCBNC	7" B-size Coupling Pin w/ No Collar	0.68
PNCPB1/8	7" B-size Coupling Pin w/ 1/8" Collar	0.7
PNCPB	9" B-size Coupling Pin w/ 1" Collar	1.21

34

B-Size Iron Cross Braces

1.25" x 1.25" x 0.125"



Lock Spacing	Bay Length					
	4'	5'	6'	7'	8'	10'
24"	BRA042436H	BRA052436H	BRA062436H	BRA072436H	BRA082436H	BRA102436H
36"	BRA042436H	BRA052436H	BRA062436H	BRA072436H	BRA082436H	BRA102436H
	BRA043648H	BRA053648H	BRA063648H	BRA073648H	BRA083648H	BRA103648H
48"	BRA043648H	BRA053648H	BRA063648H	BRA073648H	BRA083648H	BRA103648H

35

B-Size Tube Cross Braces

1" x 2mm



Lock Spacing	Bay Length					
	4'	5'	6'	7'	8'	10'
27"		BR0527H		BR0727H		BR1027H

B-Size Red Side Brackets



FSSB12HB



FSSB20ABPN



FSSB2030




FSSB20HB



FSSB23HB

Product Code	Description	Weight
		LB
FSSB12HB	12" Wide Hanging Side Bracket	6.61
FSSB20ABPN	20" Angle Hanger Side Bracket w/ Pin	9.7
FSSB2030	20"x30" Adjustable Side bracket	9.7
FSSB20HB	20" Wide Hanging Side Bracket	11.86
FSSB23HB	23" Wide Hanging Side Bracket	12.45


Guardrail Scaffolding



Product Code	Description	Weight
		LB
GR5OEW	5' End Guardrail W-Style	15.61
GRA5TBC	5' Angle Iron Guardrail	?
GRA7	7' Angle Iron Guardrail	?
GRGTEX3556	Expandable Swing Gate (3' -5")	24.7
GRGTEX3556	Expandable Swing Gate (3' -5")	24.7
GR5OE	5' End Guardrail Panel	11.6
GR42OE	36" & 42" End Guardrail Pane	10.6
GR7ISP	7' Side Guardrail Panel	17.7


Product Code	Description	Weight
		LB
GR3BC	3' Tube Guardrail	2.5
GR42BC	42" Tube Guardrail	3.0
GR5BC	5' Tube Guardrail	3.6
GR7	7' Tube Guardrail	5.3
GR10	10' Tube Guardrail	7.0

Access for B-Size Frames



Product Code	Description	Weight
		LB
FSSTA767IR	Inside Handrail for FS-STA767	14.33
FS-STA767OR	Outside Handrail for FS-STA767	25.2
FSSTA767SW	Stair base for FS-STA767	54.12
FSSTA767	Aluminum Stair Unit 7'x6'7"	96.88
FSSTA75IR	Inside Handrail for FS-STA75	14.33
FSSTA75OR	Outside Hand Rail for FS-STA75	25.16
FSSTA765SW	Stair base for FS-STA75	48.3
FS-STA75	Aluminum Stair Unit 7'x5'	88.49
FSSTGRIB	Frame Scaffold Stair Guard Int	14.0

Female Corner Guardrail Post



Product Code	Description	Lock Style	Weight
			LB
GRPBWIDTL	Female Guardrail Post	D-Lck	11.6
GRPFB4D	Female Corner Guardrail Post	-	7.4

B-Size Base Components



CAS8B



BPRBC



COR



FSSB



BPLJBC



BPSJC



FSUHJ68B



BPLEC

Product Code	Description	Compatibility	Weight
			LB
CAS8B	8" Caster	B & C Frames	12.3
BPRBC	Rigid Base Plate	B & C Frames	1.9
BPLJBC	24" Leveling Jack w/ Base Plate	B & C Frames	12.3
BPSJC	24" Swivel Jack w. Base Plate	B & C Frames	11.6
FSUHJ68B	5" x 8" U-Head Jack	B & C Frames	15.6
BPLEC	Leveling Extension w/ Socket	B & C Frames	11.2
COR	Frame Outrigger	B & C Frames	15.0
FSSB	Stair Tower Starter Bar	-	9.3


Ladders




LD17W6



LD17W3



LDRSAU3G



LDRSAUBG




LDB17W


Product Code	Description	Weight
		LB
LD17W6	17" Wide Ladder 6' High	20.06
LD17W3	7" Wide Ladder 3' High	10.58
LDRSAU3G	3' SAU Ladder (Channel Style)	10.20
LDRSAU6G	6' SAU Ladder (Channel Style)	18.9
LDRSAUBG	SAU Ladder Bracket (Channel Style)	5.8
LDB17W	17" Wide Ladder Bracket 7.25"	7.06

Pins


Sizes listed are Stock Sizes



PN-SP2



PN-SR



PN-HP3



PN-PTPU



PN-SP4

Product Code	Description	Weight
		LB
PN-SP2	2" Snap Pin	0.2
PN-SR	Spring Retainer	0.1
PN-HP3	3" Hinge Pin	0.2
PN-PTPU	Universal Pig Tail Pin	0.25
PN-SP4	4" Snap Pin	0.35

Special, non-stock sizes available upon request

Side Brackets for C-Size Frames



FS-SB12HC



FS-SB20HC



FS-SB30HC



FS-SB20EC




FS-SB20AC

Product Code	Description	Weight
		LB
FS-SB12HC	12" Side Bracket (Saddle Hanger)	8.2
FS-SB20HC	20" Side Bracket (Saddle Hanger)	10.1
FS-SB30HC	30" Side Bracket (Saddle Hanger)	11.0
FS-SB20EC	20" End Bracket (Saddle Hanger)	9.9
FS-SB20AC	20" Side Bracket (Angle Hanger)	9.5

04

Miscellaneous Stock

C-Size Open End Frame




Product Code	Description	Weight
		LB
ABCCFO564SL6	C-Size Open End Frame 5'x6'4"	47.63

SHORING FRAME INFORMATION

- 1.69" (1-11/16") OD Leg Tube, 13 Gauge
- Uses PN-CPC Coupling Pin
- First Lock 6" from top of frame leg
- S-Lock
- Spring Retainer hole drilled at 90 degrees
- 48" Lock Spacing
- Standard Blue Color

Miscellaneous Stock Frames



Product Code	Description	Weight
		LB
ABCCFS55S	C-Size Step Frame 5'x5'	40.8
ABCCFS564S	C-Size Step Frame 5'x6'4"	44.3
ABCCGRPF4D	C-Size Guardrail Post	8.4
ABCCSB20H	C-Size 20" Side Bracket Saddle Hanger	9.67
ABCCSB24H	C-Size 24" Side Bracket Saddle Hanger	9.67


C-SIZE STEP FRAME INFORMATION

- 1.69" (1-11/16") OD Leg Tube, 13 Gauge
- Uses PN-CPC Coupling Pin
- First Lock 6" from top of frame leg
- S-Lock
- Spring Retainer hole drilled at 90 degrees
- 48" Lock Spacing
- Standard Blue Color

C-SIZE GUARDRAIL POST INFORMATION

- D-Locks
- Holes at 90°

Miscellaneous Stock Frames Cont.



BKFS551D48

BKFS567D48

Product Code	Description	Weight
		LB
BKFS551D48	B-Size Step Frame 5'x5"	38.46
BKFS567D48	B-Size Step Frame 5'x6"	48.27
BKFS551D48	B-Size Step Frame 5'x5"	38.46
BKFS567D48	B-Size Step Frame 5'x6"	48.27


SHORING FRAME INFORMATION

- 1.625" (1-5/8") OD Leg Tube, 13 Gauge
- Uses PNCBNC, PNCPB1/8, or PNCPB Coupling Pin
- First Lock 7" from top of frame leg
- D-Lock
- Spring Retainer hole drilled at 90 degrees
- 48" Lock Spacing
- Standard Color Yellow

05

Canada Frames & Accessories

B-Size Canada Ladder Frames



Product Code	Description	Weight
		LB
B-FL27W3HX27L6	27.5"Wx3'H Ladder Frame	21.2
B-FL27W5HX27L6	27.5"Wx5'H Ladder Frame	21.2
B-FS42W3HX27L6	42"Wx3'H Step Frame X-Lock	25.4
B-FS5W5HX27L6	42"Wx3'H Step Frame X-Lock	25.4

SHORING FRAME INFORMATION

- 1.625" (1-5/8") OD Leg Tube, 13 Gauge
- Uses PNCPB Coupling Pin
- L6 First Lock 6" from top of frame leg
- Spring Retainer hole drilled at 90 degrees
- L11/L10 First Lock 11.5"/10" from top of frame leg
- X-Lock Detail
- 27-3/4" spacing
- Standard Finish Galvanized


B-Size Canada Open Frames



B-FO3W66HX27L11



B-FO42W66HX27L11




B-FO5W66HX27L11

Product Code	Description	Weight
		LB
B-FO3W66HX27L11	3'Wx6'6"H Open Frame	48.4
B-FO42W66HX27L11	42"Wx6'6"H Open Frame	50.0
B-FO5W66HX27L11	5'Wx6'6"H Open Frame	45.5


FRAME INFORMATION

- 1.625" (1-5/8") OD Leg Tube, 13 Gauge
- Uses PNCPB Coupling Pin
- L6 First Lock 6" from top of frame leg
- Spring Retainer hole drilled at 90 degrees
- L11/L10 First Lock 11.5"/10" from top of frame leg
- X-Lock Detail
- 27-3/4" spacing
- Standard Finish Galvanized


C-Size Canada Ladder Frames



C-FO3W66HX48L6



C-FO45W66HX48L6




C-FO5W66HX48L6

Product Code	Description	Spacing	Weight
		IN	LB
C-FO3W66HX48L6	3'x3' Ladder Frame	48.0	39.5
C-FO45W66HX48L6	3'x4' Ladder Frame	48.0	43.4
C-FO5W66HX48L6	4'x5' Ladder Frame	48.0	43.3

SHORING FRAME INFORMATION

- 1.69" (1-11/16") OD Leg Tube, 13 Gauge
- Uses PN-CPC Coupling Pin
- L6/L9 First Lock 6"/9" from top of frame leg
- Spring Retainer hole drilled at 90 degrees
- Standard Finish Galvanized

C-Size Canada Open Frames



C-FS5W3HX24L6

C-FS45W3HX24L6

C-FS45W3HX24L6

C-FSL5W5HX48L6

Product Code	Description	Weight
		LB
C-FS5W3HX24L6	36"Wx3'H Step Frame	39.5
C-FS45W3HX24L6	45"Wx3'H Step Frame	43.4
C-FS45W3HX24L6	5'Wx5'H Step Frame	44.3
C-FSL5W5HX48L6	5'Wx5'H Ladder Step Frame	42.6

FRAME INFORMATION

- 1.69" (1-11/16") OD Leg Tube, 13 Gauge
- Uses PN-CPC Coupling Pin
- L6/L9 First Lock 6"/9" from top of frame leg
- Spring Retainer hole drilled at 90 degrees
- Standard Finish Galvanized

06

Utility Scaffolds

Import Multi-Purpose Unit



Product Code	Description	Weight
		LB
MPISB+BFL	6' Import Multi-Purpose Unit	145
MPISBS+BFL	Upgraded 6 ft Baker	
MPMFS5+BFL	5 ft Folding Scaffold	
MPMFS4+BFL	4 ft Folding Scaffold	

Guard Rail Set and Outrigger also available

07

Planks, Decks & Boards

Scaffold Board



Product Code	Description	Weight
		LB
WBAA195	19" x 5' All Aluminum Scaffold Board	22.0
WBAA197	19" x 7' All Aluminum Scaffold Board	28.0
WBAA1910	19" x 10' All Aluminum Scaffold Board	39.0
WBAP197H1	19" x 7' Alum/Plywood Scaffold Board	32.2
WBAP1910H1	19" x 10' Alum/Plywood Scaffold Board	45.4
WBAP287H2	28" x 7' Alum/Plywood Scaffold Board	44.0
WBAP2810H2	28" x 10' Alum/Plywood Scaffold Board	54.0

Hatch Plank w/ Drop Down Ladder



Product Code	Description	Weight
		LB
WBAASH287TH-H2	28" x 7' All Aluminum Hatch Plank w/ Drop Down Ladder	68.0
WBAASH288TH-H2	28" x 8' All Aluminum Hatch Plank w/ Drop Down Ladder	84.9
WBAASH2810TH-H2	28" x 10' All Aluminum Hatch Plank w/ Drop Down Ladder	100.3
WBAPSH287TH-H2	28" x 8' Alum/Plywood Hatch Plank w/ Drop Down Ladder	
WBAPSH288TH-H2	28" x 8' Alum/Plywood Hatch Plank w/ Drop Down Ladder	
WBAPSH2810TH-H2	28" x 10' Alum/Plywood Hatch Plank w/ Drop Down Ladder	

Wood Plank



Product Code	Description	Weight
		LB
WBWL0415E	4' Laminated Scaffold Board	15.2
WBWL0615E	6' Laminated Scaffold Board	22.8
WBWL0815E	8' Laminated Scaffold Board	30.4
WBWL1015E	10' Laminated Scaffold Board	38.0
WBWL1215E	12' Laminated Scaffold Board	45.6
WBWL1615E	16' Laminated Scaffold Board	60.8
WBW04	4' DI-65 Solid Sawn Scaffold Board	16.0
WBW06	6' DI-65 Solid Sawn Scaffold Board	24.0
WBW08	8' DI-65 Solid Sawn Scaffold Board	32.0
WBW10	10' DI-65 Solid Sawn Scaffold Board	40.0
WBW12	12' DI-65 Solid Sawn Scaffold Board	48.0
WBW16	16' DI-65 Solid Sawn Scaffold Board	64.4


06

Universal Accessories

60

Well Wheel

Safety Factor 4:1



Product Code	Description	Weight
		LB
FSWW	Well Wheel Rated for 100 lbs.	7.6

Guard Rail Set and Outrigger also available

Pedestal Accessories



FSMBS2030




FSPFL



FSPFS

Product Code	Description	Weight
		LB
FSMBS2030	Mortar Board Stand 18'x20"x30"	32.5
FSPFS	Pedestal Frame w/ 2-Legs	1.21
FSPFL	Pedestal Frame Leg	11


U-Head Jack



Product Code	Description	Adjustment Range		Weight	
		IN	MM	LB	KG
FSUHJ68B	6" x 8" U-Head Jack 1-3/8"	16.5	0.42	15.7	7.12

Threaded Tube O.D. 1 3/8"

Heavy Duty Braces



Product Code	Description	Bay Length		Lock Spacing	Marking
		IN	MM		
BR0448D	4' Hole Brace	48	1219.2	48	0448HD
BR1248HD	12" Hole Brace	144	3657.6	48	1248HD

64

Leveling Jack

Safety Factor 4:1



Product Code	Description	Load @ 18" Height		Load @ 18" Height	
		(KG-F)		(KG-F)	
BPLJBC	24" Leveling Jack w/BP	16.5	0.42	15.7	7.12



Driven by Service. Defined by Quality.